

GRAFLITE

COMBINATIONS & PRICES

Cat. No.		Price
2725	GRAFLITE No. 25 Unit (2-cell with 5" reflector).....	\$25.95†
2727	GRAFLITE No. 27 Unit (2-cell with 7" reflector).....	24.95†
2735	GRAFLITE No. 35 Unit (3-cell with 5" reflector).....	27.45†
2737	GRAFLITE No. 37 Unit (3-cell with 7" reflector).....	26.45†
2736	GRAFLITE No. 35 Synchronizer (3-cell with 5" reflector)	40.65*
2738	GRAFLITE No. 37 Synchronizer (3-cell with 7" reflector)	39.65*

† Does not include cord or mounting plate.

* Does not include mounting plate or installation.

GRAFLITE Mounting Plates and Brackets


2754	Flat mounting plate.....	1.10
2753	Rangefinder encircling bracket for Pacemaker "34's" and "45's" with rangefinders.....	2.65
2755	Mounting plate for Pacemakers without rangefinder.....	2.10
2758	L-Bracket for Pacemaker "23's" with rangefinder.....	2.80

Other GRAFLITE ACCESSORIES and REPLACEABLE PARTS

Cat. No.		Price
2712	GRAFLITE Side Lighting Unit, including No. 2706 15' extension cord, less reflector.....	\$16.00
2747	7" GRAFLITE reflector for medium base lamps.....	6.50
2749	5" GRAFLITE adjustable reflector for bayonet base lamps	7.50
2746	Shield for GRAFLITE or GRAFLEX 5" reflector.....	4.20
2774	GRAFLITE 1-cell extension tube (may be used in multiple)	1.50
2701	20" GRAFLITE synchronized shutter cord.....	1.40
2702	36" GRAFLITE synchronized shutter cord.....	1.60
2703	17" GRAFLITE solenoid cord.....	1.20
2704	36" GRAFLITE solenoid cord.....	1.60
2705	16" GRAFLITE twin case connector cord.....	1.05
2706	15' GRAFLITE extension cord.....	1.50
2720	15' GRAFLITE remote control cord with momentary switch	2.90


Prices subject to change without notice.

GRAFLEX, Inc., Rochester 8, N. Y.




GRAFLITE

BY
GRAFLEX



Featuring


- ★ **VERSATILITY**
- ★ **DEPENDABILITY**
- ★ **SIMPLICITY**



GRAFLITE *Accessories*



CONNECTING CORDS




SHUTTER CORDS
*Synchronized shutter to
SHUTTER Outlet*

<i>Cat. No.</i>	<i>Length</i>
2701	20"
2702	36"




SOLENOID CORDS
*Solenoid to SOLENOID
Outlet*

<i>Cat. No.</i>	<i>Length</i>
2703	17"
2704	36"



CONNECTOR CORDS
Battery case to battery case

<i>Cat. No.</i>	<i>Length</i>
2705	16"




REMOTE CONTROL CORDS
Remote control with momentary switch

<i>Cat. No.</i>	<i>Length</i>
2720	15'


EXTENSION CORDS
Battery case to extension unit

<i>Cat. No.</i>	<i>Length</i>
2706	15'

ACCESSORIES




**GRAFLITE Side
Lighting Unit**
*Including 15' extension
cord*
Cat. No.
less reflector 2712



7" REFLECTOR
for medium base lamps
Cat. No. 2747



5" REFLECTOR
for bayonet base lamps
Cat. No. 2749



**SHIELD FOR
5" REFLECTORS**
*Will fit all GRAFLEX
5" Reflectors*
Cat. No. 2746



**EXTENSION
TUBES**
may be used in multiple
Cat. No. 2774

GRAFLIT

Easy to use, the unit desired by amateurs and professionals alike makes it the unit required by professional photographers. Its light weight will appeal to all. A powerhouse for synchro.




The combined power of the twin battery cases shows the power so necessary to fire dependably the extra flash lamps required.

Here is flash equipment to meet the most exacting requirements.

The multi-purpose circuit controller affords the selection of three circuits, giving you a possibility of numerous connections and uses to meet every requirement.

No sliding, twisting or turning is necessary with the heavy-duty supporting clamps. Just "snap on" for a vise-like grip—to remove, press *one* button!

Either 5" bayonet or 7" medium base reflector may be easily attached to battery case (while case is on camera) with main switch at *either* front or rear of the battery case.




REFLECTING OVER 58 YEARS' EXPERIENCE


E by Graflex

ease of operation of the latest in flash equipment makes it a favorite of amateur photographers. Undreamed of versatility and dependability. Its sleek new styling and surprising features—synchronized shutters as well as solenoid-operated shutters. The camera shown at right may be used to provide the increased power required for synchronized color photography. Meeting all the exacting requirements—precision built by Graflex.


Around the top of battery case are 5 outlets, each clearly marked for its intended use. These multiple outlets give an indication of the unusual versatility of Graflex.




Standard household plug connections—positive, sturdy, easy to insert and remove—are one of the multitude of features that mean the finest in flash.




The new micro-type, click action switch makes positive contact easily, with no camera movement, and gives an audible signal of contact.





The heavy-duty supporting clamps (standard equipment) are movable, allowing the battery case to be placed either on the right side or attached to handle lugs on left side, with switch at front or back.



Handy extension tubes, each accommodating one dry cell, may be joined together in multiple for whatever power may be required.



The push button lamp ejector of both 5" and 7" reflectors conveniently pops out the fired bulb, speeding up the loading—flashing—ejecting cycle.



IN MAKING PRECISION PHOTO EQUIPMENT